



PRODUCT CATALOG

Automotive refinish



JAP WHOLESALE

7309 VARNA AVE
NORTH HOLLYWOOD CA 91605



818-210-0460




Series 2 Primer

JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605
818-210-0460

203-0991

203-0991



LACQUER PRIMER

PRODUCT DESCRIPTION

Acrylic Primer is 1K primer. It's contain high performance Acrylic resin and anticorrosion chemicals. It's provides excellent adhesion to all metals and protects against harsh conditions that can cause rust on steel surface. In addition, it can be used as heavy build filler without affecting the gloss of base coat or clear coat.

MIX RATIO

100 : 120


THICKNESS(micron)

50-70

PACKING SIZE
3.785 LITERS

AVAILABLE IN FOLLOWING SHADES

USE ON THE SUBSTRATE						
ALUMINUM	FIBER GLASS	PLASTIC	STAINLESS	STEEL	WOOD	GALVANIZED
★★	★★★★★	★★★★★	★	★★★★★	★★★★★	★★★★★



JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605

818-210-0460



Series 2 Primer

JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605
818-210-0460


241-LINE

241-LINE



**YOU ARE
HERE**

COATING LAYER: PRIMER



2K DTM PRIMER

PRODUCT DESCRIPTION


2K Polyurethane Primer, A Two-component Polyurethane Primer that contains polyurethane resin as the first part and isocyanate as the second part. It provides excellent adhesion to all metals and protects against harsh conditions that can cause rust on steel surfaces. In addition, it can be used as heavy build filler without affecting the gloss of top/base coat.

MIX RATIO	TOUCH DRY(mins)	WET SANDING(mins)	DRY SANDING(mins)
4 : 1	3-4	30-45	50-60

PACKING SIZE
3.785 LITERS

AVAILABLE IN FOLLOWING SHADES

USE ON THE SUBSTRATE						
ALUMINUM	FIBER GLASS	PLASTIC	STAINLESS	STEEL	WOOD	GALVANIZED
★★★★	★★★★★	★★★★★	★★★★	★★★★★	★★★★★	★★★★★



JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605

818-210-0460



Series 3 Base Coat

JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605
818-210-0460


354-LINE

354-LINE



YOU ARE
HERE

COATING LAYER: BASE COAT



BASE COAT

PRODUCT DESCRIPTION

High performance Acrylic basecoat for Automotive coating. It's provide good color strength, easy to spray, good adhesion over primed coated substrate. It's also able to apply direct to plastic such as ABS, PC/ABS. It's must be used in conjunction with 2K clear coat in order to provide protection from environment.

MIXING			APPLY VISCOSITY
MIX RATIO	VOLUME	BY WEIGHT	11-13 SECONDS BY NK#2
BASE COAT	1.0	100	
ACRYLIC THINNER	1.0	130	
TOUCH DRY(mins)	DRY FOR TOPCOAT(mins)		THICKNESS(micron)
3-7	10-15		20-30

PACKING SIZE
0.5 LITERS



JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605

818-210-0460




Series 4 Clear Top Coat

JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605
818-210-0460

421-8991

421-8991



TYPE : HIGH SOLID

COATING LAYER: CLEAR COAT



2K HS CLEAR 2:1

PRODUCT DESCRIPTION

Premium-grade clearcoat perfectly suited for automotive refinishing. It provides a brilliant, durable, and long-lasting protective finish that enhances the beauty and value of every vehicle.

KEY FEATURES

- Exceptionally Deep, Mirror-Like Gloss
- Outstanding Surface Hardness
- Superior Resistance to Weathering and Environmental Conditions
- Long Pot Life After Mixing
- Fast Drying and Rapid Curing Performance

PACKING SIZE

5 LITERS

PHYSICAL PROPERTIES

SPECIFIC GRAVITY	0.95-1.05 g/cm ³
TOTAL NON-VOLATILE SOLID	58-62%

APPLICATION EQUIPMENT

GUN SET UP
COMPLIANT AIR PRESSURE
HVP AIR PRESSURE
SURFACE PREPARATION

1.3-1.6 MM
20-30 PSI AT THE GUN
6-8 PSI AT THE CAP
SAND AND CLEAN WITH CONCEPT WAX &
GREASE REMOVER BEFORE APPLICATION

CODE	MIX RATIO	APPLY VISCOSITY	COATS					
421-8991	2 : 1 : 0.5	14-16 SEC NK#2	2-3	★★★★	★★★★	★★★★★	★★	★★



JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605

818-210-0460




Series 4 Clear Top Coat

JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605
818-210-0460

421-8992

421-8992



TYPE : MEDIUM SOLID

COATING LAYER: CLEAR COAT



2K QUICK CLEAR 2:1

PRODUCT DESCRIPTION

Premium-grade clearcoat for automotive refinishing, designed to provide a deep, mirror-like gloss and a durable protective finish with superior resistance to weathering and environmental conditions.

KEY FEATURES

- Deep, Mirror-Like Gloss
- Outstanding Surface Hardness
- Long Pot Life
- Fast Drying & Rapid Curing
- Superior Weathering Resistance

PACKING SIZE

5 LITERS

PHYSICAL PROPERTIES

SPECIFIC GRAVITY	0.95-1.10 g/cm ³
TOTAL NON-VOLATILE SOLID	55-60%

APPLICATION EQUIPMENT

GUN SET UP	1.3-1.6 MM
COMPLIANT AIR PRESSURE	20-30 PSI AT THE GUN
HVLP AIR PRESSURE	6-8 PSI AT THE CAP
SURFACE PREPARATION	SAND & CLEAN BEFORE APPLICATION

CODE	MIX RATIO	APPLY VISCOSITY	COATS					
421-8992	2 : 1 : 0.1	15-16 SEC NK#2	2-3	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★



JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605

818-210-0460




Series 4 Clear Top Coat

JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605
818-210-0460

421-8993

421-8993



TYPE : HIGH SOLID

COATING LAYER: CLEAR COAT



2K CERAMIC CLEAR 2:1

PRODUCT DESCRIPTION

Premium-grade clearcoat perfectly suited for automotive refinishing. It provides a brilliant, durable, and long-lasting protective finish that enhances the beauty and value of every vehicle.

KEY FEATURES

- Exceptionally Deep, Mirror-Like Gloss
- Outstanding Surface Hardness
- Superior Resistance to Weathering and Environmental Conditions
- Long Pot Life After Mixing
- Fast Drying and Rapid Curing Performance

PACKING SIZE

5 LITERS

PHYSICAL PROPERTIES

SPECIFIC GRAVITY	0.95-1.05 g/cm ³
TOTAL NON-VOLATILE SOLID	54-60%

APPLICATION EQUIPMENT

GUN SET UP
COMPLIANT AIR PRESSURE
HVP AIR PRESSURE
SURFACE PREPARATION

1.3-1.6 MM
20-30 PSI AT THE GUN
6-8 PSI AT THE CAP
SAND AND CLEAN WITH CONCEPT WAX &
GREASE REMOVER BEFORE APPLICATION

CODE	MIX RATIO	APPLY VISCOSITY	COATS					
421-8993	100 : 50 : 37	14-16 SEC NK#2	2-3	★★★	★★★	★★★★★	★★★★★	★★★★★



JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605

818-210-0460




Series 4 Clear Top Coat

JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605
818-210-0460

421-8994

421-8994



TYPE : HIGH SOLID

COATING LAYER: CLEAR COAT



EURO CLEAR 2:1

PRODUCT DESCRIPTION

Premium-grade clearcoat perfectly suited for automotive refinishing. It provides a brilliant, durable, and long-lasting protective finish that enhances the beauty and value of every vehicle.

KEY FEATURES

- Exceptionally Deep, Mirror-Like Gloss
- Outstanding Surface Hardness
- Superior Resistance to Weathering and Environmental Conditions
- Long Pot Life After Mixing
- Fast Drying and Rapid Curing Performance

PACKING SIZE

5 LITERS

PHYSICAL PROPERTIES

SPECIFIC GRAVITY	0.95-1.10 g/cm ³
TOTAL NON-VOLATILE SOLID	55-60%

APPLICATION EQUIPMENT

GUN SET UP	1.3-1.6 MM
COMPLIANT AIR PRESSURE	20-30 PSI AT THE GUN
HVLP AIR PRESSURE	6-8 PSI AT THE CAP
SURFACE PREPARATION	SAND AND CLEAN WITH CONCEPT WAX & G REASE REMOVER BEFORE APPLICATION

CODE	MIX RATIO	APPLY VISCOSITY	COATS					
421-8994	2 : 1 : 0.1	15-16 SEC NK#2	2-3	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★





Series 5 Top Coat

JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605
818-210-0460


541-LINE

541-LINE

B1

AUTOMOTIVE REFINISH

YOU ARE
HERE



TYPE : ECONOMY

COATING LAYER: TOP COAT



PACKING SIZE

3.785 LITERS

2K TOP COAT 4:1

PRODUCT DESCRIPTION

2K 4:1 polyurethane topcoat. It's providing color shade and Gloss. It's good adhesion and good hardness. Excellent in weathering and chemicals resistance.

CODE	MIX RATIO
541-0001	4 : 1 : 0.5
541-5001	4 : 1 : 0.5

TOUCH DRY(mins)

4-7

SANDING TIME(hrs)

4-6

THICKNESS(micron)

60-80



AVAILABLE IN FOLLOWING SHADES



541-0001

541-5001



JAP WHOLESALE

7309 VARNA AVE
NORTH HOLLYWOOD CA 91605

818-210-0460



Series 8 Thinner/Reducer

JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605
818-210-0460

85-1090

85-1090



COMPLIANT LACQUER THINNER

PRODUCT DESCRIPTION

High-quality automotive paint thinner specifically formulated to adjust paint viscosity for optimal spray application. Suitable for Topcoat, Basecoat, and Primer systems. It enhances paint flow and pigment dispersion, promotes smooth and easy spraying, and provides a uniform, glossy, high-quality paint film. Also suitable for various industrial coatings, including acrylic and nitrocellulose-based paints.

KEY FEATURES

- Adjusts paint viscosity for ideal spray application
- Enhances paint flow and pigment dispersion
- Provides a smooth and glossy finish after spraying
- Improves sprayability and reduces foaming or surface roughness
- Optimized evaporation rate minimizes blushing or whitening defects
- Compatible with a wide range of industrial paint systems



PACKING SIZE (LITERS)

3.785 | 18.925

TECHNICAL INFORMATION

SUITABLE SYSTEMS TOPCOAT / BASECOAT / PRIMER
SPECIFIC GRAVITY 0.73-0.83 g/cm³

MIXING & APPLICATION

MIXING RATIO
APPLY VISCOSITY
ADDING METHOD
ADDITIONAL MIXING TIME
USAGE PERIOD
STORAGE AFTER MIXING

FOLLOW THE MAIN PRODUCT RECOMMENDATIONS
FOLLOW THE MAIN PRODUCT RECOMMENDATIONS
ADD GRADUALLY WHILE STIRRING
3-5 MINUTES
USE WITHIN THE SAME WORKING PERIOD
DO NOT STORE OVERNIGHT



85-1090 COMPLIANT LACQUER THINNER

JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605

 **818-210-0460**



Series 8 Thinner/Reducer

JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605
818-210-0460

86-1091

86-1091



2K REDUCER MEDIUM

PRODUCT DESCRIPTION

High-quality automotive paint thinner specifically formulated to adjust paint viscosity for optimal spray application. Suitable for Topcoat, Basecoat, and Primer systems. It enhances paint flow and pigment dispersion, promotes smooth and easy spraying, and provides a uniform, glossy, high-quality paint film. Also suitable for various industrial coatings, including acrylic and nitrocellulose-based paints.

KEY FEATURES

- Adjusts paint viscosity for ideal spray application.
- Enhances paint flow and pigment dispersion.
- Provides a smooth and glossy finish after spraying.
- Improves sprayability and reduces foaming or surface roughness.
- Optimized evaporation rate minimizes blushing or whitening defects.
- Compatible with a wide range of industrial paint systems.



PACKING SIZE (LITERS)

3.785 | 18.925

TECHNICAL INFORMATION

REDUCER GRADE MEDIUM
SPECIFIC GRAVITY 0.80 -0.90 g/cm³

MIXING & APPLICATION

MIXING RATIO
APPLY VISCOSITY
ADDING METHOD
ADDITIONAL MIXING TIME
USAGE PERIOD
STORAGE AFTER MIXING

FOLLOW THE MAIN PRODUCT RECOMMENDATIONS
FOLLOW THE MAIN PRODUCT RECOMMENDATIONS
ADD GRADUALLY WHILE STIRRING
3-5 MINUTES
USE WITHIN THE SAME WORKING PERIOD
DO NOT STORE OVERNIGHT



86-1091 2K REDUCER MEDIUM

JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605

818-210-0460



Series 8 Thinner/Reducer

JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605
818-210-0460

86-1092



2K REDUCER SLOW



PRODUCT DESCRIPTION

High-quality automotive paint thinner specifically formulated to adjust paint viscosity for optimal spray application. Suitable for Topcoat, Basecoat, and Primer systems. It enhances paint flow and pigment dispersion, promotes smooth and easy spraying, and provides a uniform, glossy, high-quality paint film. Also suitable for various industrial coatings, including acrylic and nitrocellulose-based paints.

KEY FEATURES

- Adjusts paint viscosity for ideal spray application.
- Enhances paint flow and pigment dispersion.
- Provides a smooth and glossy finish after spraying.
- Improves sprayability and reduces foaming or surface roughness.
- Optimized evaporation rate minimizes blushing or whitening defects.
- Compatible with a wide range of industrial paint systems.

PACKING SIZE

18.925 LITERS

TECHNICAL INFORMATION

REDUCER GRADE SLOW
SPECIFIC GRAVITY 0.85 -0.95 g/cm³

MIXING & APPLICATION

MIXING RATIO
APPLY VISCOSITY
ADDING METHOD
ADDITIONAL MIXING TIME
USAGE PERIOD
STORAGE AFTER MIXING

FOLLOW THE MAIN PRODUCT RECOMMENDATIONS
FOLLOW THE MAIN PRODUCT RECOMMENDATIONS
ADD GRADUALLY WHILE STIRRING
3-5 MINUTES
USE WITHIN THE SAME WORKING PERIOD
DO NOT STORE OVERNIGHT



JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605

818-210-0460



Series 10 Binder

JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605
818-210-0460

54-9100

54-9100



BASE COAT BINDER



PRODUCT DESCRIPTION

High-performance binder for automotive coatings. Provides good color strength, easy spraying, and good adhesion over primed coated substrates. It can also be applied directly to plastics such as ABS and PC/ABS. Must be used in conjunction with a 2K clear coat to provide protection from the environment.

KEY FEATURES

- Good Color Strength
- Easy to Spray
- Good Adhesion
- Direct Application to ABS & PC/ABS
- For Automotive Coatings
- Use with 2K Clear Coat

PACKING SIZE

3.785 LITERS



MIXING

MIX RATIO	VOLUME
BINDER	60-80
TONER	20-40

PHYSICAL PROPERTIES

SPECIFIC GRAVITY	0.90 - 1.00 G/CM ³
VISCOSITY	68 - 73 KU

APPLICATION

APPLY VISCOSITY
STIRRING SPEED
STIRRING TIME
TONER PRE-MIXING
CLEAR COAT SYSTEM

FOLLOW BINDER RECOMMENDATIONS
500-800 RPM
5-10 MINUTES
500-800 RPM / 5-10 MINUTES
USE WITH 2K CLEAR COAT



JAP WHOLESALE

7309 VARNA AVE
NORTH HOLLYWOOD CA 91605

818-210-0460



Series 10 Binder

JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605
818-210-0460

54-9400

54-9400



BASE COAT BINDER SUPER PREMIUM



PRODUCT DESCRIPTION

High-performance binder for automotive coatings. Provides good color strength, easy spraying, and good adhesion over primed coated substrates. It can also be applied directly to plastics such as ABS and PC/ABS. Must be used in conjunction with a 2K clear coat to provide protection from the environment.

KEY FEATURES

- Good Color Strength
- Easy to Spray
- Good Adhesion
- Direct Application to ABS & PC/ABS
- For Automotive Coatings
- Use with 2K Clear Coat

PACKING SIZE

3.785 LITERS



MIXING

MIX RATIO	VOLUME
BINDER	60-80
TONER	20-40

PHYSICAL PROPERTIES

SPECIFIC GRAVITY	0.90 - 1.00 G/CM ³
VISCOSITY	62 - 65 KU

APPLICATION

APPLY VISCOSITY
STIRRING SPEED
STIRRING TIME
TONER PRE-MIXING
CLEAR COAT SYSTEM
DILUTION

FOLLOW BINDER RECOMMENDATIONS
500-800 RPM
5-10 MINUTES
500-800 RPM / 5-10 MINUTES
USE WITH 2K CLEAR COAT
DILUTE WITH THINNER AFTER MIXING



54-9400 BASE COAT BINDER SUPER PREMIUM

JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605

818-210-0460

PRODUCT CATALOG

Automotive refinish



JAP WHOLESALE
7309 VARNA AVE
NORTH HOLLYWOOD CA 91605



818-210-0460