

PRODUCT CATALOG

Automotive refinish



ADVANCE

CAR AUTOMOTIVE REFINISH



SOLE AGENT :  **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

 +966 505 661 944 / +966 556 757 497 |  UNITEDADVANCECOMPANY@GMAIL.COM



Series 1 Putty / Body filler



ADVANCE
CAR AUTOMOTIVE REFINISH

184-0110


184-0110



ADVANCE
CAR AUTOMOTIVE REFINISH

**YOU ARE
HERE**

COATING LAYER: PUTTY / BODY FILLER



BODY FILLER POLYESTER PUTTY

PRODUCT DESCRIPTION

Polyester 2K Putty is two component unsaturated polyester putty. It's used to fill dents, dings, gouges and other cosmetic imperfections on bare steel, fiber glass reinforced polyester or primed surface. 184-Line is made from high quality unsaturated polyester resin and high quality of fillers that is easy to spreading and mixing, easy to sanding, good adhesion and durable painting surface.

PACKING SIZE

1.5 KG, 3.8 KG

SHADES



CODE	NAME	MIX RATIO	GEL TIME (mins)	SANDING TIME (mins)
184-0110	BODY FILLER POLYESTER PUTTY	100 : 3	3-6	60-90



TEXTURE PUTTY



MIXING PUTTY



SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 1 Putty / Body filler



ADVANCE
CAR AUTOMOTIVE REFINISH

184-0310


184-0310



ADVANCE
CAR AUTOMOTIVE REFINISH

YOU ARE
HERE

COATING LAYER: PUTTY / BODY FILLER



LIGHT WEIGHT POLYESTER PUTTY

PRODUCT DESCRIPTION

Polyester 2K Putty is two component unsaturated polyester putty. It's used to fill dents, dings, gouges and other cosmetic imperfections on bare steel, fiber glass reinforced polyester or primed surface. 184-Line is made from high quality unsaturated polyester resin and high quality of fillers that is easy to spreading and mixing, easy to sanding, good adhesion and durable painting surface.

PACKING SIZE

1.5 KG, 3.8 KG, 5 KG

SHADES



CODE	NAME	MIX RATIO	GEL TIME (mins)	SANDING TIME (mins)
83-4007	LIGHT WEIGHT POLYESTER PUTTY	100 : 3	2-3	45-60



SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 1 Putty / Body filler



ADVANCE
CAR AUTOMOTIVE REFINISH

181-0330


181-0330



ADVANCE
CAR AUTOMOTIVE REFINISH

**YOU ARE
HERE**

COATING LAYER: PUTTY / BODY FILLER



NC KOMBI FILLER 1K PUTTY

PRODUCT DESCRIPTION

Automotive Nitrocellulose Putty is one component Putty that use as body filler for small area such as Pin hole or small defect in coating surface. It's provides excellent fast dry and easy to sand.

PACKING SIZE

4 KG

SHADES



CODE	NAME	DRY FOR WET SANDING (mins)	DRY FOR DRY SANDING (mins)
181-0330	NC KOMBI FILLER 1K PUTTY	5-7	10-15



SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 2 Primer



ADVANCE

CAR AUTOMOTIVE REFINISH

201-0901

201-0901




ADVANCE

CAR AUTOMOTIVE REFINISH

YOU ARE
HERE

COATING LAYER: PRIMER



NITROCELLULOSE PRIMER GREY

PRODUCT DESCRIPTION


Industrial coating paint base on Alkyd resin. It's provided good adhesion on metal, fast dry and good corrosion resistance. Used as a primer spray to enhance adhesion and create a smooth, uniform surface finish.

MIX RATIO	TOUCH DRY(mins)	SANDING TIME(mins)	THICKNESS(micron)
1:1	10-15	1-2	60-70

PACKING SIZE
3.6 LITERS

AVAILABLE IN FOLLOWING SHADES

USE ON THE SUBSTRATE						
ALUMINUM	FIBER GLASS	PLASTIC	STAINLESS	STEEL	WOOD	ZINC
-	-	-	-	★★★★★	★★★★★	-



SOLE AGENT: UNITED ADVANCE TRADING COMPANY

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 2 Primer



ADVANCE
CAR AUTOMOTIVE REFINISH

201-5901


201-5901



ADVANCE
CAR AUTOMOTIVE REFINISH

YOU ARE
HERE

COATING LAYER: PRIMER



NITROCELLULOSE PRIMER WHITE

PRODUCT DESCRIPTION


Industrial coating paint base on Alkyd resin. It's provided good adhesion on metal, fast dry and good corrosion resistance. Used as a primer spray to enhance adhesion and create a smooth, uniform surface finish.

MIX RATIO	TOUCH DRY(mins)	SANDING TIME(mins)	THICKNESS(micron)
1:1	10-15	1-2	60-70

PACKING SIZE
3.6 LITERS

AVAILABLE IN FOLLOWING SHADES

USE ON THE SUBSTRATE						
ALUMINUM	FIBER GLASS	PLASTIC	STAINLESS	STEEL	WOOD	ZINC
-	-	★★★★★	-	★★★★★	★★★★★	-



SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 2 Primer



ADVANCE
CAR AUTOMOTIVE REFINISH

231-0110


231-0110



ADVANCE
CAR AUTOMOTIVE REFINISH

**YOU ARE
HERE**

COATING LAYER: PRIMER



2K PRIMER GREY

PRODUCT DESCRIPTION


2K Polyurethane Primer, A Two-component Polyurethane Primer that contains polyurethane resin as the first part and isocyanate as the second part. It provides excellent adhesion to all metals and protects against harsh conditions that can cause rust on steel surfaces. In addition, it can be used as heavy build

MIX RATIO	TOUCH DRY(mins)	WET SANDING(mins)	DRY SANDING(mins)
3 : 1	3-5	45-60	60-90

PACKING SIZE
3 LITERS

AVAILABLE IN FOLLOWING SHADES

USE ON THE SUBSTRATE						
ALUMINUM	FIBER GLASS	PLASTIC	STAINLESS	STEEL	WOOD	GALVANIZED
★★★	★★★★★	★★★★★	★★	★★★★★	★★★★★	★★★★★



SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 2 Primer



ADVANCE
CAR AUTOMOTIVE REFINISH

82-8006


82-8006



ADVANCE
CAR AUTOMOTIVE REFINISH

COATING LAYER: PRIMER

YOU ARE
HERE



PLASTIC PRIMER

PRODUCT DESCRIPTION

PP Primer is a single-component adhesion promoter specifically designed for polypropylene (PP) automotive plastic substrates. It improves paint adhesion on low surface energy plastics and serves as a tie-coat between PP surfaces and subsequent coating systems. The product dries quickly, forms a thin non-build film, and can be directly overcoated with automotive primer, basecoat, or topcoat systems without sanding.

APPLICATION

1. Mix the product with the paint and stir until homogeneous, then proceed to mix according to the standard application method of the main product.
2. Users should always conduct a trial to determine the appropriate usage amount before actual application.

PACKING SIZE

0.45 LITER, 0.9 LITER

AVAILABLE IN FOLLOWING SHADES

USE ON THE SUBSTRATE

ABS	PC/ABS	PP	HDPE	NYLON
★★★★★	★★★★★	★★	★★	★★★



SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 3
Base Coat



ADVANCE
CAR AUTOMOTIVE REFINISH

351-LINE


351-LINE



ADVANCE
CAR AUTOMOTIVE REFINISH

COATING LAYER: BASE COAT

YOU ARE
HERE



BASE COAT



PRODUCT DESCRIPTION

The Economical High-Quality Acrylic Basecoat is formulated from premium acrylic resin, designed for automotive refinishing and other applications requiring exceptionally high-quality finishes. This basecoat offers: Highly concentrated pigments for vibrant, bright, and consistent colors Excellent sprayability, ensuring smooth and effortless application Superior adhesion to various substrates, including plastics such as ABS It can be applied directly onto plastic substrates and prepared metal surfaces. For optimal performance and enhanced durability, it is recommended to overcoat with a 2K clear topcoat, which improves gloss, surface protection, and resistance to environmental factors. Additionally, this product provides high-quality performance at an economical price, making it an excellent choice for cost-conscious applications.

PACKING SIZE

1 LITER, 3.5 LITERS

MIXING

MIX RATIO	VOLUME	BY WEIGHT
BASE COAT	1.0	100
ACRYLIC THINNER	1.0	130

APPLY VISCOSITY

11-13 SECONDS
BY NK#2

TOUCH DRY(mins)

3-7

DRY FOR TOPCOAT(mins)

10-15

THICKNESS(micron)

20-30



SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 4 Clear Top Coat




ADVANCE
CAR AUTOMOTIVE REFINISH

421-8300

421-8300



ADVANCE
CAR AUTOMOTIVE REFINISH



TYPE : MEDIUM SOLID

COATING LAYER: CLEAR COAT



2K CLEAR 2:1

PRODUCT DESCRIPTION

Premium-grade clearcoat delivering an exceptionally deep, mirror-like gloss with outstanding surface hardness and superior resistance to weathering and environmental conditions. Features long pot life, fast drying and rapid curing performance, providing a brilliant, durable and long-lasting protective finish for automotive refinishing.

- DEEP MIRROR-LIKE GLOSS
- OUTSTANDING SURFACE HARDNESS
- SUPERIOR WEATHERING RESISTANCE
- LONG POT LIFE
- FAST DRYING & RAPID CURING

PACKING SIZE

4.5 LITERS

CODE	MIX RATIO	FLASH OFF TIME (mins)	SETTING TIME (Hrs)					
421-8300	2 : 1 : 0.5	4-6	2-3	-	★★★★★	★★★★★	★★★★★	★★★★★



SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 4 Clear Top Coat




ADVANCE
CAR AUTOMOTIVE REFINISH

421-8407

421-8407



ADVANCE
CAR AUTOMOTIVE REFINISH



TYPE : HIGH SOLID

COATING LAYER: CLEAR COAT



2K HIGH SOLID CLEAR 2:1

PRODUCT DESCRIPTION

Premium-grade clearcoat delivering an exceptionally deep, mirror-like gloss with outstanding surface hardness and superior resistance to weathering and environmental conditions. Features long pot life, fast drying and rapid curing performance, providing a brilliant, durable and long-lasting protective finish for automotive refinishing.

- DEEP MIRROR-LIKE GLOSS
- OUTSTANDING SURFACE HARDNESS
- SUPERIOR WEATHERING RESISTANCE
- LONG POT LIFE
- FAST DRYING & RAPID CURING

PACKING SIZE

4.5 LITERS

CODE	MIX RATIO	FLASH OFF (mins)	SETTING TIME (hrs)					
421-8407	2 : 1 : 0.5	10-13	6-8	★★★★★	★★★★★	★★★★★	★★	★★



SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 4 Clear Top Coat




ADVANCE
CAR AUTOMOTIVE REFINISH

421-8491

421-8491



ADVANCE
CAR AUTOMOTIVE REFINISH



PREMIUM

TYPE : HIGH SOLID

COATING LAYER: CLEAR COAT



2K CERAMIC CLEAR 2:1

PRODUCT DESCRIPTION

Premium-grade clearcoat delivering an exceptionally deep, mirror-like gloss with outstanding surface hardness and superior resistance to weathering and environmental conditions. Features long pot life, fast drying and rapid curing performance, and is ideally suited for automotive refinishing.

- DEEP MIRROR-LIKE GLOSS
- OUTSTANDING SURFACE HARDNESS
- SUPERIOR WEATHERING RESISTANCE
- LONG POT LIFE
- FAST DRYING & RAPID CURING

PACKING SIZE
4 LITERS

CODE	MIX RATIO	TOUCH DRY (mins)	SETTING TIME (hrs)					
421-8491	2 : 1 : 20-25%	8-10	6-7	★★★	★★★	★★★★★	★★★★★	★★★★★



SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 4 Clear Top Coat




ADVANCE
CAR AUTOMOTIVE REFINISH

421-8250

421-8250



ADVANCE
CAR AUTOMOTIVE REFINISH



TYPE : MATT CLEAR

COATING LAYER: CLEAR COAT



2K MATT CLEAR 2:1

PRODUCT DESCRIPTION

2K Matt Clear for automotive refinishing. Designed for application in 2-3 medium wet coats, with a long pot life after mixing and fast drying and rapid curing performance.

PACKING SIZE

1 LITERS

CODE	MIX RATIO	FLASH OFF TIME (mins)	SETTING TIME (Hrs)					
421-8250	2:1:1	CONTACT OUR TECHNICIAN	CONTACT OUR TECHNICIAN	★★★★★	★★★★★	★★★★★	★★	★★

421-8250 2K MATT CLEAR 2:1

SOLE AGENT: UNITED ADVANCE TRADING COMPANY

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 5 Top Coat



ADVANCE

CAR AUTOMOTIVE REFINISH


521-LINE

521-LINE



ADVANCE

CAR AUTOMOTIVE REFINISH



TYPE : MEDIUM SOLID

COATING LAYER: TOP COAT



2K CRYL COAT 2:1

PRODUCT DESCRIPTION

A high-quality 2K polyurethane topcoat designed to deliver color and gloss in a single application. It offers excellent hardness, weather resistance, and durability. The product has a long pot life after mixing, yet provides fast drying and curing properties, making it highly suitable for automotive refinishing.

MIXING

MIX RATIO	VOLUME	BY WEIGHT
521-LINE	2	2.10
21-21300	1	1.05
86-200	1	0.90

PACKING SIZE

3 LITERS



FLASH OFF TIME(mins)

CONTACT OUR
TECHNICIAN

SETTING TIME(hours)

CONTACT OUR
TECHNICIAN

POLISHING TIME(hours)

CONTACT OUR
TECHNICIAN



SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 5
Top Coat




ADVANCE
CAR AUTOMOTIVE REFINISH

32-LINE

32-LINE



ADVANCE
CAR AUTOMOTIVE REFINISH



TYPE : STANDARD

COATING LAYER: TOP COAT



NITROCELLULOSE PAINT

PRODUCT DESCRIPTION

Industrial coating based on Alkyd Nitrocellulose resin. Provides good adhesion on metal, fast drying and good corrosion resistance.

- GOOD ADHESION ON METAL
- FAST DRYING
- GOOD CORROSION RESISTANCE
- INDUSTRIAL COATING

MIXING

MIX RATIO
32-LINE
THINNER

VOLUME
1
1

PACKING SIZE

3.6 LITERS

NUMBER OF COATS

2 COATS

DRYING TIME (25-30°C)

30-40 MIN.

SPECIFIC GRAVITY

1.02-1.12 G/CM³



32-LINE NITROCELLULOSE PAINT

SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 7

Additive for coating



ADVANCE
CAR AUTOMOTIVE REFINISH

17-6000

17-6000



PACKING SIZE

3.5 LITER

FLIP-FLOP PREMIUM

PRODUCT DESCRIPTION

Specialized paint additive designed to provide excellent control of Flip-Flop aluminum pigments without affecting the fundamental properties of the paint. Compatible with various paint systems.

APPLICATION PARAMETERS

- MAIN PRODUCT [PAINT] : 100
- PAINT ADDITIVE : 1 – 25
- MIX WITH PAINT AND STIR UNTIL HOMOGENEOUS.
- CONDUCT A TRIAL TO DETERMINE THE APPROPRIATE AMOUNT BEFORE USE.

SPECIFIC GRAVITY

0.90 – 1.00 G/CM³



17-6000 FLIP-FLOP PREMIUM

PREMIUM

SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 7

Additive for coating



ADVANCE
CAR AUTOMOTIVE REFINISH

19-8778

19-8778



FLIP-FLOP 3777

PRODUCT DESCRIPTION

Functional additive designed to reduce the gloss of coating films and provide a matte or flat finish without affecting adhesion, hardness, or chemical resistance. Suitable for PU, Acrylic, and Epoxy coating systems.

APPLICATION PARAMETERS

- MAIN PRODUCT [PAINT] : 100
- PAINT ADDITIVE : 1 – 25
- MIX WITH PAINT AND STIR UNTIL HOMOGENEOUS.
- CONDUCT A TRIAL TO DETERMINE THE APPROPRIATE AMOUNT BEFORE ACTUAL APPLICATION.

PACKING SIZE

3.5 LITER

SPECIFIC GRAVITY

0.90 – 1.00 G/CM³



19-8778 FLIP-FLOP 3777

SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 7 Additive for coating



ADVANCE
CAR AUTOMOTIVE REFINISH

700-7301

700-7301



FLIP FLOP SUPER PREMIUM

PRODUCT DESCRIPTION

Specialized additive designed for paint systems using aluminum pigments. It enhances the Flip-Flop effect, providing more pronounced color travel as the viewing angle changes. Compatible with various paint systems and does not adversely affect the fundamental performance of the base paint.

APPLICATION PARAMETERS

- MAIN PRODUCT [PAINT] : 100
- PAINT ADDITIVE : 3 – 10
- MIX WITH PAINT AND STIR UNTIL HOMOGENEOUS.
- CONDUCT A TRIAL TO DETERMINE THE APPROPRIAT AMOUNT BEFORE ACTUAL APPLICATION.

PACKING SIZE

3.5 LITER

SPECIFIC GRAVITY

0.95 – 1.05 G/CM³



700-7301 FLIP-FLOP SUPER PREMIUM PREMIUM

SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 8 Thinner/Reducer



ADVANCE
CAR AUTOMOTIVE REFINISH

86-202

86-202



2K THINNER SLOW DRY

PRODUCT DESCRIPTION

High-quality automotive thinner specially formulated to adjust paint viscosity for optimal spray application in Topcoat, Basecoat, and Primer systems. It improves paint flow and pigment dispersion, promotes smooth and easy spraying, and helps produce a uniform, glossy, and high-quality finish. Also suitable for various industrial coatings, including acrylic and nitrocellulose-based paints.

APPLICATION PARAMETERS

MIXING RATIO
SPRAY VISCOSITY
SPRAY CONDITION
NUMBER OF COATS
FLASH TIME
DRY TIME

FOLLOW THE MAIN PRODUCT RECOMMENDATIONS
FOLLOW THE MAIN PRODUCT RECOMMENDATIONS
REFER TO MAIN PRODUCT RECOMMENDATIONS
REFER TO MAIN PRODUCT RECOMMENDATIONS
REFER TO MAIN PRODUCT RECOMMENDATIONS

PACKING SIZE (LITERS)

0.9 | 4.5

PHYSICAL PROPERTIES

APPEARANCE
SPECIFIC GRAVITY

CLEAR BY VISUAL
0.85 -0.95 G/CM³



86-202 2K THINNER SLOW DRY

SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 10 Binder



ADVANCE
CAR AUTOMOTIVE REFINISH

54-8100

54-8100



BINDER

PRODUCT DESCRIPTION

High-performance binder for automotive coatings, providing good color strength, easy spraying, and good adhesion over primed substrates. It can also be applied directly to ABS and PC/ABS plastics. Must be used with a 2K Clear Coat to provide protection from environmental exposure.

MIXING

MIX RATIO
BINDER
TONER

VOLUME
60-80
20-40

APPLY VISCOSITY

FOLLOW BINDER
RECOMMENDATIONS

PACKING SIZE

3.5 LITERS

PHYSICAL PROPERTIES

SPECIFIC GRAVITY
VISCOSITY

0.90 - 1.00 G/CM³
90 - 95 KU



SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 10 Binder



ADVANCE
CAR AUTOMOTIVE REFINISH

54-9100

54-9100



ACRYLIC BINDER 9100

PRODUCT DESCRIPTION

High-performance binder for automotive coatings, providing good color strength, easy spraying, and good adhesion over primed substrates. It can also be applied directly to ABS and PC/ABS plastics. Must be used with a 2K Clear Coat to provide protection from environmental exposure.

MIXING

MIX RATIO
BINDER
TONER

VOLUME
60-80
20-40

APPLY VISCOSITY

FOLLOW BINDER
RECOMMENDATIONS

PACKING SIZE

3.5 LITERS

PHYSICAL PROPERTIES

SPECIFIC GRAVITY
VISCOSITY

0.90 - 1.00 G/CM³
68 - 73 KU



SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



Series 10 Binder



ADVANCE
CAR AUTOMOTIVE REFINISH

54-9200

54-9200



ACRYLIC BINDER 9200

PRODUCT DESCRIPTION

High-performance binder for automotive coatings, providing good color strength, easy spraying, and good adhesion over primed substrates. It can also be applied directly to ABS and PC/ABS plastics. Must be used with a 2K Clear Coat to provide protection from environmental exposure.

MIXING

MIX RATIO
BINDER
TONER

VOLUME
60-80
20-40

APPLY VISCOSITY

FOLLOW BINDER
RECOMMENDATIONS

PACKING SIZE

3.5 LITERS

PHYSICAL PROPERTIES

SPECIFIC GRAVITY
VISCOSITY

0.95 - 1.05 G/CM³
58 - 62 KU



SOLE AGENT: **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

+966 505 661 944 / +966 556 757 497 | UNITEDADVANCECOMPANY@GMAIL.COM



ADVANCE

CAR AUTOMOTIVE REFINISH



SOLE AGENT :  **UNITED ADVANCE TRADING COMPANY**

MAIN BRANCH / SAUDI ARABIA JEDDAH-KING FAISAL STREET, 7185 ZIP CODE 3892

 +966 505 661 944 / +966 556 757 497 |  UNITEDADVANCECOMPANY@GMAIL.COM